

Canadian Food-Grade Soybean Database - 2019 Crop Year

Revised April 2021

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
AAC 26-15	MG 2 Early	Y	20.2	17.6 - 24.5	42.3	41.5 - 44.0	20.6	20.0 - 20.8	6.5	6.1 - 6.8	4.9	4.6 - 5.2	11.6	11.5 - 11.8	18.9	18.4 - 19.2	1990	1840 - 2150
AAC 26-15	MG 2 Late	Y	21.5	21.0 - 22.1	40.8	39.3 - 41.6	21.6	21.2 - 22.4	6.7	6.4 - 6.9	4.8	4.8 - 4.9	11.7	11.6 - 11.9	19.1	18.8 - 19.5	2410	2220 - 2540
AAC Big Ben	MG 2 Early	Y	20.2	17.7 - 23.7	42.6	41.6 - 43.4	20.0	19.7 - 20.5	7.0	6.8 - 7.2	4.5	4.3 - 4.8	11.7	11.6 - 11.8	19.1	18.8 - 19.3	1860	1650 - 1950
AAC Big Ben	MG 2 Late	Y	21.4	21.4 - 21.4	41.1	40.1 - 42.4	20.8	20.4 - 21.1	7.1	6.8 - 7.3	4.4	4.4 - 4.5	11.9	11.6 - 12.0	19.3	18.7 - 19.6	2460	2220 - 2620
AAC Hensatto	MG 0	Y	8.1	7.5 - 8.7	40.4	38.5 - 43.7	19.7	17.9 - 20.3	6.3	5.6 - 6.9	5.1	5.0 - 5.2	11.7	10.8 - 12.3	19.8	18.6 - 20.6	2200	1720 - 2710
AAC Hoshi	MG 0	Y	10.5	10.2 - 11.0	40.7	39.8 - 42.0	20.0	19.0 - 20.5	7.1	6.6 - 7.7	4.9	4.8 - 5.0	12.1	11.6 - 12.7	19.9	19.4 - 20.4	2970	2500 - 3350
AAC Invest 1605	MG 0	Y	16.7	16.1 - 17.2	46.5	45.4 - 47.7	18.2	17.3 - 18.6	5.7	5.3 - 6.2	4.8	4.8 - 5.0	10.8	10.3 - 11.3	17.7	17.2 - 18.2	2250	1510 - 2980
AAC Kovik	MG 0	Y	20.1	18.8 - 21.5	40.1	39.0 - 41.7	20.9	19.9 - 22.0	6.9	6.3 - 7.4	4.8	4.8 - 4.9	12.2	11.7 - 12.5	19.8	19.2 - 20.0	3610	3180 - 4150
AAC Larkin	MG 0	Y	9.2	8.4 - 9.8	40.8	39.1 - 44.0	19.8	17.9 - 21.2	7.1	6.3 - 7.7	5.1	4.8 - 5.3	12.5	11.8 - 13.0	19.7	18.9 - 20.4	3260	2730 - 3880
AAC Malden	MG 2 Late	Y	24.4	23.4 - 25.0	44.1	43.5 - 45.1	18.9	18.5 - 19.2	7.1	6.9 - 7.4	4.5	4.4 - 4.7	11.9	11.7 - 12.0	19.1	18.9 - 19.2	2640	2390 - 2850
AAC Shinju	MG 0	Y	10.5	9.7 - 10.9	39.1	38.1 - 41.6	20.6	19.2 - 21.5	7.3	6.7 - 7.9	5.2	5.1 - 5.3	12.8	12.2 - 13.3	20.5	19.7 - 21.2	3230	2470 - 3750
AAC Wigle	MG 2 Early	Y	22.7	20.5 - 26.9	45.8	45.2 - 46.5	18.8	18.4 - 19.1	6.5	6.3 - 6.7	4.7	4.5 - 4.8	11.3	11.1 - 11.5	17.9	17.5 - 18.1	1720	1360 - 1950
Acora	MG 1	IY	20.3	19.4 - 21.5	41.2	39.5 - 42.7	20.3	19.6 - 21.3	7.6	6.7 - 8.0	4.8	4.7 - 4.9	12.6	11.9 - 13.1	19.9	19.4 - 20.3	2780	2030 - 3120
Ajico	MG 0	IY	20.7	20.2 - 21.1	40.6	39.4 - 42.8	21.2	19.8 - 22.0	6.8	6.0 - 7.2	4.5	4.4 - 4.5	11.5	10.9 - 12.0	19.1	18.4 - 19.6	4160	3590 - 4720
Angelica	MG 0	IY	21.0	20.3 - 22.2	41.1	39.8 - 44.0	20.5	19.1 - 21.4	7.5	6.5 - 8.3	4.6	4.4 - 4.7	12.3	11.3 - 13.0	19.8	18.7 - 20.7	2850	2500 - 3300
Asuka	MG 0	IY	19.9	19.5 - 20.9	42.0	40.5 - 44.9	19.7	18.3 - 20.7	7.1	6.1 - 7.9	4.8	4.7 - 5.0	12.4	11.4 - 13.0	19.4	18.3 - 20.2	2310	1680 - 3130
Atena	MG 1	IY	22.2	20.8 - 24.0	42.6	41.7 - 43.9	19.6	18.9 - 20.3	8.1	7.6 - 8.4	4.2	4.2 - 4.3	12.4	12.0 - 12.7	19.4	19.1 - 19.9	2860	2750 - 3090
Celebrity	MG 0	IY	18.3	17.0 - 19.3	41.6	40.5 - 43.1	20.4	19.7 - 21.4	6.9	5.8 - 7.2	5.0	4.8 - 5.0	12.2	11.3 - 12.7	19.2	18.5 - 19.5	2310	1940 - 2830
Chikala	MG 0	Y	9.4	8.5 - 10.0	39.5	38.1 - 42.7	20.4	18.6 - 21.0	6.0	5.3 - 6.5	5.2	5.0 - 5.7	11.5	10.6 - 11.8	20.0	19.0 - 20.6	2090	1370 - 2750
DF 155	MG 2 Early	Y	21.5	18.7 - 25.4	43.5	42.4 - 44.6	20.2	19.7 - 20.9	6.2	6.1 - 6.3	4.8	4.6 - 5.0	11.2	11.1 - 11.4	18.1	18.0 - 18.3	2130	2040 - 2210
DF 155	MG 2 Late	Y	22.5	21.7 - 23.8	41.4	38.8 - 42.9	21.2	20.5 - 22.3	6.7	6.4 - 7.1	4.6	4.6 - 4.7	11.5	11.3 - 12.0	18.8	18.4 - 19.8	2660	2200 - 2930
Eider	MG 1	Y	21.0	20.3 - 21.4	41.0	38.3 - 42.3	21.1	20.4 - 22.8	6.5	5.8 - 6.9	4.8	4.7 - 4.9	11.7	11.1 - 12.1	19.1	18.9 - 19.4	2220	1740 - 2430
Ezra	MG 0	IY	19.2	18.7 - 19.6	37.8	36.6 - 40.2	21.7	20.5 - 22.4	7.1	6.3 - 7.6	5.0	4.9 - 5.0	12.5	11.7 - 13.1	21.0	20.1 - 21.4	3320	2960 - 3730
Hana	MG 0	Y	17.6	16.6 - 18.6	43.9	42.7 - 46.3	19.5	18.4 - 20.3	5.8	5.1 - 6.1	4.9	4.7 - 5.0	10.9	10.1 - 11.4	18.3	17.4 - 18.8	2590	1940 - 3260
Havane	MG 1	Y	20.6	20.3 - 21.0	41.0	39.1 - 42.6	20.2	19.3 - 21.7	8.1	7.6 - 8.7	4.3	4.3 - 4.4	12.7	12.3 - 13.1	20.1	19.5 - 20.3	2090	1860 - 2360
HDC Blake	MG 1	Y	23.7	21.8 - 25.2	41.7	40.1 - 42.7	19.7	18.8 - 21.1	8.3	7.8 - 8.9	4.2	4.2 - 4.2	12.7	12.3 - 13.2	19.7	19.6 - 19.7	2350	2030 - 2510
HDC Blake	MG 2 Early	Y	23.1	17.7 - 29.2	43.0	42.0 - 43.8	19.7	19.3 - 20.2	7.5	7.1 - 7.8	4.3	4.1 - 4.4	12.1	11.9 - 12.3	18.9	18.5 - 19.3	1660	1400 - 1950
Jari	MG 0	IY	17.7	16.1 - 18.7	45.0	44.0 - 47.0	18.9	17.7 - 19.4	6.2	5.6 - 6.9	4.8	4.7 - 4.9	11.1	10.6 - 11.8	18.1	17.4 - 18.6	1980	1390 - 2560
Karra	MG 1	Y	19.7	18.9 - 20.9	40.7	38.6 - 42.0	20.8	20.0 - 22.2	7.9	7.3 - 8.2	4.3	4.1 - 4.7	12.4	12.2 - 12.6	20.1	19.8 - 20.2	2910	2430 - 3150
Kyoto	MG 0	Y	19.0	17.4 - 20.0	43.1	41.6 - 46.2	20.0	18.6 - 21.2	7.3	6.2 - 7.9	4.5	4.4 - 4.6	11.9	10.8 - 12.5	18.8	17.6 - 19.5	3010	2350 - 3760
Kyoto	MG 1	Y	18.9	18.2 - 20.0	43.0	41.1 - 44.2	20.1	19.6 - 21.2	7.2	6.3 - 7.5	4.4	4.2 - 4.5	11.8	11.1 - 12.2	18.8	18.4 - 19.3	3000	2400 - 3390
Marula	MG 0	Y	21.4	20.6 - 22.6	42.5	41.3 - 44.7	19.6	18.3 - 20.6	6.9	6.2 - 7.4	5.2	5.1 - 5.2	12.2	11.7 - 12.7	19.5	18.8 - 19.9	2280	1970 - 2620

Canadian Food-Grade Soybean Database - 2019 Crop Year

Revised April 2021

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
Mozart	MG 0	Y	20.1	18.7 - 22.1	42.9	41.9 - 45.1	19.4	18.2 - 20.3	6.9	6.3 - 7.6	4.6	4.4 - 4.8	11.9	11.3 - 12.5	19.2	18.7 - 19.7	2380	1870 - 2960
NA 2300	MG 2 Early	Y	20.6	18.5 - 22.5	42.6	41.5 - 43.3	19.6	19.3 - 19.9	7.3	7.0 - 7.5	4.7	4.5 - 4.9	12.3	12.2 - 12.5	19.3	19.0 - 19.6	2180	2060 - 2340
Nagoya	MG 0	Y	16.4	15.6 - 17.3	42.1	41.0 - 44.1	19.8	19.0 - 20.1	7.1	6.2 - 7.8	4.7	4.6 - 4.9	12.0	11.1 - 12.6	19.4	18.5 - 19.9	2960	2500 - 3530
Nagoya	MG 1	Y	17.1	16.2 - 18.5	41.8	40.6 - 43.0	20.2	19.8 - 20.7	7.2	6.8 - 7.4	4.6	4.3 - 4.7	12.0	11.9 - 12.1	19.3	18.9 - 20.1	2940	2590 - 3180
Nordika	MG 0	Y	22.0	21.1 - 22.9	42.6	41.2 - 44.6	19.6	18.6 - 20.7	8.0	7.1 - 8.4	4.5	4.3 - 4.7	12.6	11.6 - 13.0	19.2	18.4 - 19.7	2800	2640 - 2940
Nordika	MG 1	Y	22.0	21.3 - 22.9	42.9	40.5 - 44.3	19.6	18.9 - 21.0	7.9	7.0 - 8.5	4.4	4.3 - 4.6	12.5	11.9 - 13.0	19.1	18.8 - 19.5	2480	1990 - 2750
OAC Acclaim	MG 0	IY	21.2	20.5 - 21.9	42.1	40.5 - 44.4	20.3	19.3 - 21.3	6.3	5.6 - 6.7	4.9	4.8 - 5.1	11.6	10.8 - 12.0	19.1	18.1 - 19.6	3070	2610 - 3430
OAC Adare	MG 1	IY	21.3	20.3 - 22.2	42.3	40.6 - 43.8	19.8	18.9 - 21.1	7.1	6.7 - 7.4	4.8	4.7 - 4.9	12.1	11.8 - 12.4	19.3	19.0 - 19.4	2240	2090 - 2400
OAC Avatar	MG 1	IY	20.4	19.8 - 21.3	40.7	38.8 - 41.9	20.3	19.7 - 21.7	7.6	7.5 - 7.8	4.7	4.6 - 4.8	12.6	12.4 - 12.9	20.1	19.8 - 20.4	3380	2980 - 3640
OAC Bounty	MG 0	IY	20.5	19.4 - 21.2	39.5	38.6 - 41.0	21.4	20.7 - 22.2	7.0	6.1 - 7.7	4.6	4.5 - 4.6	12.0	11.2 - 12.6	19.8	18.9 - 20.1	3690	3290 - 4270
OAC Bruton	MG 2 Early	Y	24.1	19.7 - 29.0	43.0	41.5 - 43.6	20.2	19.9 - 20.9	6.7	6.3 - 7.0	4.4	4.1 - 4.7	11.4	11.2 - 11.7	18.5	18.3 - 18.9	1990	1470 - 2210
OAC Cooper	MG 0	Y	17.9	16.7 - 18.9	41.8	40.7 - 44.6	20.6	19.1 - 21.6	6.8	5.9 - 7.5	4.5	4.4 - 4.8	11.6	10.7 - 12.2	18.9	18.0 - 19.6	2420	1880 - 3140
OAC Drayton	MG 0	LBR	18.1	16.8 - 18.9	37.7	36.6 - 39.1	22.1	21.8 - 22.9	6.6	5.7 - 7.1	5.0	4.8 - 5.3	12.1	11.1 - 12.6	20.3	19.4 - 20.7	4210	3870 - 4570
OAC Durham	MG 0	Y	21.2	20.7 - 21.9	41.2	39.1 - 44.8	20.3	18.6 - 21.7	8.0	6.8 - 8.8	4.3	4.2 - 4.4	12.6	11.4 - 13.4	19.3	18.2 - 19.9	2840	2260 - 3510
OAC Evolution	MG 0	IY	17.8	16.8 - 18.5	39.7	38.5 - 41.9	20.6	19.6 - 21.5	7.0	5.8 - 8.3	4.9	4.7 - 5.0	12.2	11.2 - 13.4	20.1	18.8 - 21.0	3180	3040 - 3270
OAC Kent	MG 2 Early	Y	21.1	19.3 - 22.9	42.5	41.6 - 43.7	20.8	20.3 - 21.2	6.5	6.4 - 6.7	4.6	4.5 - 4.8	11.4	11.2 - 11.6	18.3	18.1 - 18.6	1630	1290 - 1770
OAC Lakeview	MG 0	Y	18.8	17.1 - 20.0	39.1	37.8 - 41.2	21.3	20.2 - 22.5	7.5	6.8 - 8.0	4.6	4.6 - 4.7	12.6	11.9 - 13.0	20.3	19.5 - 20.9	3260	2800 - 3780
OAC Marvel	MG 2 Early	Y	22.1	18.8 - 26.1	43.8	43.1 - 44.9	19.7	19.3 - 20.1	6.5	6.0 - 6.7	5.0	4.7 - 5.3	11.6	11.5 - 11.7	18.4	18.3 - 18.7	1660	1480 - 1890
OAC Marvel	MG 2 Late	Y	21.9	21.6 - 22.4	42.0	40.6 - 43.3	20.6	19.9 - 21.3	6.6	6.2 - 6.9	4.9	4.8 - 5.0	11.7	11.3 - 12.0	18.9	18.5 - 19.4	2140	2050 - 2180
OAC Prescott	MG 0	GR	19.4	17.7 - 20.7	39.8	38.2 - 42.6	21.1	19.6 - 22.2	7.0	5.9 - 7.5	4.9	4.8 - 5.1	12.4	11.6 - 12.9	20.0	19.0 - 20.4	3300	2690 - 3720
OAC Prosper	MG 1	Y	20.9	20.4 - 21.8	43.0	41.6 - 45.0	19.5	18.5 - 20.5	7.2	6.8 - 7.5	4.9	4.7 - 5.0	12.4	12.1 - 12.6	19.6	19.2 - 20.0	2800	2600 - 3030
OAC Prosper	MG 2 Early	Y	20.1	18.3 - 23.5	44.0	42.9 - 44.7	19.4	19.1 - 19.9	6.5	6.0 - 6.8	5.0	4.7 - 5.2	11.8	11.5 - 12.0	18.9	18.3 - 19.1	2150	1740 - 2440
OAC Ramsay	MG 2 Early	Y	22.9	18.6 - 27.7	42.3	40.9 - 43.0	20.6	20.3 - 21.2	6.8	6.5 - 7.1	4.6	4.4 - 4.9	11.8	11.6 - 12.0	18.9	18.6 - 19.4	1930	1730 - 2170
OAC Strive	MG 0	IY	21.1	19.8 - 22.6	43.1	41.5 - 46.1	19.8	18.4 - 20.8	7.1	6.1 - 7.9	4.5	4.4 - 4.6	11.8	10.9 - 12.5	18.6	17.5 - 19.2	2500	2120 - 2930
OAC Thamesville	MG 2 Early	Y	20.2	16.9 - 22.5	43.3	42.5 - 44.1	19.6	19.2 - 20.1	7.3	7.1 - 7.5	4.4	4.2 - 4.6	12.0	11.9 - 12.1	18.8	18.6 - 19.0	1850	1570 - 2040
OAC Thamesville	MG 2 Late	Y	22.1	21.7 - 22.4	40.6	39.3 - 42.1	21.1	20.2 - 21.9	7.9	7.8 - 8.0	4.4	4.2 - 4.6	12.5	12.3 - 12.7	19.7	19.3 - 20.0	2240	2060 - 2430
OAC Wallace	MG 0	BR	18.8	17.7 - 19.7	37.6	36.3 - 40.0	21.6	20.5 - 22.8	7.1	6.1 - 7.8	4.9	4.7 - 5.1	12.4	11.4 - 13.2	20.9	19.6 - 21.5	3790	3280 - 4500
Osaka	MG 0	Y	18.6	18.3 - 18.9	40.5	39.1 - 43.1	20.7	19.1 - 22.0	8.0	7.2 - 8.6	4.5	4.4 - 4.6	12.6	12.1 - 13.1	20.1	19.3 - 20.8	3020	2400 - 3490
Osaka	MG 1	Y	19.0	18.6 - 19.3	40.8	38.3 - 42.0	20.6	19.9 - 22.2	7.9	7.4 - 8.3	4.4	4.2 - 4.6	12.5	12.2 - 12.9	19.9	19.5 - 20.5	2930	2320 - 3320
P11A10	MG 1	Y	20.2	19.3 - 21.1	39.7	38.9 - 40.9	20.8	20.1 - 21.8	7.5	6.9 - 8.2	4.8	4.7 - 4.9	12.5	12.2 - 13.0	20.5	20.2 - 20.8	3400	2740 - 3780
P21A20	MG 2 Early	Y	19.5	17.9 - 22.2	43.5	43.0 - 44.6	19.5	19.0 - 19.9	6.4	6.0 - 6.8	5.0	4.7 - 5.2	11.6	11.4 - 11.8	18.6	18.3 - 19.1	2320	1890 - 2760
S03-W4	MG 0	IY	19.5	18.0 - 21.0	42.4	40.9 - 44.8	20.5	19.5 - 21.1	7.0	6.1 - 7.9	4.7	4.6 - 4.9	11.9	11.0 - 12.7	18.8	17.7 - 19.6	2050	1420 - 2680

Canadian Food-Grade Soybean Database - 2019 Crop Year

Revised April 2021

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
S07-D2	MG 0	Y	21.1	20.9 - 21.3	43.6	42.7 - 45.1	18.9	18.1 - 19.8	6.7	6.1 - 7.2	4.8	4.7 - 4.8	11.7	11.1 - 12.2	19.2	18.7 - 19.7	3140	2270 - 3810
S07-M8	MG 0	IY	21.3	20.6 - 22.0	42.6	41.6 - 45.5	19.7	18.2 - 20.7	7.6	6.8 - 8.2	4.4	4.3 - 4.5	12.1	11.4 - 12.6	19.2	18.3 - 19.9	3140	2430 - 3790
S10-R2	MG 0	Y	19.0	17.8 - 20.2	42.9	41.8 - 44.8	18.9	18.1 - 19.4	7.0	6.1 - 7.6	4.8	4.7 - 4.9	12.0	11.1 - 12.6	19.5	18.8 - 20.0	3000	2400 - 3700
S10-R2	MG 1	Y	19.3	18.7 - 20.0	42.5	41.8 - 43.4	19.3	18.9 - 19.8	7.1	6.8 - 7.4	4.7	4.5 - 4.9	12.0	11.9 - 12.2	19.5	19.2 - 20.1	2970	2520 - 3300
S12-J7	MG 1	Y	22.1	21.3 - 22.9	42.8	40.9 - 44.9	19.8	18.8 - 21.0	6.6	6.2 - 6.9	4.6	4.5 - 4.7	11.5	11.2 - 11.7	18.9	18.3 - 19.6	3110	2870 - 3310
S14-H3	MG 1	IY	22.3	21.3 - 23.4	42.8	42.3 - 43.8	19.4	18.8 - 20.1	7.4	6.7 - 7.9	4.5	4.4 - 4.6	12.2	11.7 - 12.5	19.6	19.3 - 19.9	2910	2480 - 3170
S16-F5	MG 1	Y	23.0	22.3 - 24.1	44.1	43.0 - 45.6	19.1	18.2 - 20.0	6.9	6.4 - 7.2	4.5	4.4 - 4.5	11.5	11.1 - 11.8	18.7	18.3 - 19.0	3320	3040 - 3500
S20-M1	MG 2 Early	Y	18.8	15.5 - 22.3	42.4	41.7 - 43.2	19.9	19.5 - 20.2	6.9	6.5 - 7.3	5.2	5.0 - 5.5	12.3	12.2 - 12.4	18.9	18.8 - 19.0	2240	2100 - 2310
SG 2311	MG 2 Early	Y	19.3	18.1 - 21.4	42.6	41.2 - 43.6	19.8	19.2 - 20.6	7.5	7.3 - 7.7	4.7	4.4 - 5.0	12.6	12.4 - 12.8	19.4	19.2 - 19.7	1680	1400 - 1840
SG 2311	MG 2 Late	Y	21.8	20.1 - 23.4	39.9	38.8 - 40.6	21.4	20.7 - 22.1	8.1	8.1 - 8.1	4.7	4.6 - 4.7	13.1	13.0 - 13.2	20.2	19.7 - 20.5	2200	2060 - 2320
Taurus	MG 0	IY	18.9	17.8 - 19.7	43.6	42.4 - 46.2	19.5	18.2 - 20.5	6.4	5.4 - 7.0	4.7	4.6 - 4.7	11.4	10.5 - 12.0	18.4	17.6 - 18.9	1910	1500 - 2300
Windsor	MG 0	LBR	21.1	19.6 - 21.8	43.4	42.1 - 45.5	18.9	17.9 - 20.1	7.1	5.8 - 8.0	4.5	4.4 - 4.8	12.0	11.1 - 12.8	19.3	18.6 - 19.9	2020	1570 - 2540
X790P	MG 2 Early	Y	23.6	19.8 - 27.7	47.3	46.7 - 48.6	18.2	17.6 - 18.5	5.5	5.4 - 5.8	5.0	4.9 - 5.2	10.6	10.3 - 10.8	17.4	17.3 - 17.5	1840	1630 - 2200
Zana	MG 1	Y	19.5	19.0 - 20.5	40.0	37.6 - 41.7	20.0	19.1 - 21.4	7.9	7.1 - 8.5	5.0	4.9 - 5.1	13.2	12.6 - 13.8	20.6	20.2 - 21.3	3290	2380 - 3620

Footnotes to Tables:

¹% of dry matter basis. To convert from composition on a dry matter basis to composition at 13% moisture, multiply the value by 0.87.

²stachyose and raffinose

³includes all soluble sugars

⁴includes soluble and non-soluble sugars

⁵the sum of genistein, daidzein and glycitein aglycone equivalents

⁶parts per million (equivalent to mg/kg or µg/g)

⁷maturity group for the test sites at which the variety was grown

⁸averaged across all test sites where the variety was grown

⁹minimum and maximum values across all of the test sites where the variety was grown